

TWO HANDLES

Vertical DPL Machine

- **The Latest** Software Android System
- Germany Imported 2 Lamp
1,000,000.00 Shots
- **4K 15.6** High Quality Screen
- Magnetic Suction **5 Filters**




10+ADVANTAGE

Newly upgraded intelligent system



Screen
Linkage




Android
System



Double
Handle



Free
Logo Design




4K 15.6'
Screen



2 Years
Warranty




OEM
ODM



Cloud
Data Transfer




Safety
Lock



Handle
Screen

EQUIPPED WITH 5 DIFFERENT WAVELENGTHS FILTER



430nm

Acne Treatment



480nm

Pigment Removal




530nm

Skin Rejuvenation



560nm

Vascular Lesions



640nm

*Hair removal
Function*

Magnetic Suction Filter
Easy To Install
Less Energy Loss

30% More Powerful
Than Similar Machines

DPL HANDLE

Wavelength

640nm

SPOT SIZE

15*50mm

FUNCTION

Hair removal for all
hair colors and skin types



ELIGHT HANDLE




500,000
Shots Handles

Sapphire Cooling



10mm

40mm



10 HZ
FAST HAIR
REMOVAL



Magnetic suction filter
Easy to install



Germany imported xenon lamp
long life time.



Double semiconductor
cooling pads
ensure comfortable treatment

4k 15.6 SCREEN

Intelligent | Silky Smooth | Easy Operation



Android System



Latest
Wireless Protocols



Latest
Bluetooth 5.0



16 LANGUAGES OPTIONS

Customizable welcome page and screen logo






USB INTERNAL

Safety Lock & Upgrade

REMOTE CONTROL FUNCTION

Cloud data transfer

User Management system for patient database



Each handle is equipped with an operation screen

Which can be operated synchronously with the machine screen.




MACHINE SCREEN



4K 15.6 INCH

LCD Screen

High sensitivity, humanized design, easier operation



Super Hair Removal

⚡

10

Energy

J/cm²

|||

1

Frequency

Hz

❄️

5

Cooling

Part

Skin

|||

↶

V1:0.00v

V2:0V

Intelligent

Specialized

Water flow:1.96L

Energy

10

J/cm²

⚙️

💾


👤

BEFORE & AFTER

Hair Removal



Ance Therapy






Vascular Removal



Pigmentation Removal



Skin Rejuvenation



PARAMETERS

Output Power	3500W
Wavelength	430nm, 480nm, 530nm, 560nm, 640nm
Screen Size	15.6 inches Color Touch Screen
Energy	1-50 J/cm ²
Frequency	1-10Hz
Spot Size	SHR: 15*50mm DPL: 10*40mm
Temperature	0 ~ -10℃
Cooling System	Water Cooling System+ Air Cooling System+ Semiconductor System
Handpiece Lifetime	500,000.00 Shots For Each Handpiece
Voltage	AC 110V / 220V 50-60 Hz